ELSEVIER

Journal of Molecular Liquids 73,74 (1997) xi–xii

journal of MOLECULAR LIQUIDS

Special Issue

ION-ION, ION-SOLVENT AND SOLVENT-SOLVENT INTERACTIONS IN ELECTROLYTE SOLUTIONS

edited by Richard Buchner, Hartmut Krienke and Doug Cleaver

A collection of invited papers in honour of Professor J. Barthel

Solution of the polymer mean spherical approximation for the totally flexible sticky two-point electrolyte model
I.A. Protsykevytch, M.F. Holovko (Luiv, Ukraine), Yu.V. Kalyuzhnyi (Knoxville, TN, USA) and L. Blum (Rio Piedras, PR, USA) 1

The different kinds of ion pairs of the Li^+ ion in the scope of Barthel's equation. 'Non-ergodicity' of LiCl in THF and THP solutions
P. Huyskens, H. Verheyden, P. Van Lierde, J. Bastiaens (Heverlee, Belgium) and B. Kapuku (Kinshasa, Zaire) 21

Dielectric relaxation of chloroform and chloroform-cyclohexane mixtures at gigahertz and terahertz frequencies. The inertial term
M. Xu, E.M. Eyring and S. Petrucci (Farmingdale, NY and Salt Lake City, UT, USA) 41

An analysis of the conductances of aqueous malonic acid
A. Apelblat (Beer Sheva, Israel) 49

The compressibility of liquids at ambient temperature and pressure
Y. Marcus (Jerusalem, Israel) and G.T. Hefter (Murdoch, WA, Austrialia) 61

The variational mean spherical approximation: electrolytes confined to a plane
E.S. Velázquez (Río Piedras, Puerto Rico) and L. Blum (Mayagüez, Puerto Rico) 75

Isobaric heat capacities of micelle formation by 1-methyl-4-n-dodecyl-pyridinium iodide in aqueous solution; effects of added urea
W. Posthumus, J.B.F.N. Engberts, K. Bijma (Groningen, The Netherlands) and M.J. Blandamer (Leicester, UK) 91

Spectrochemistry of solutions. Part 29. [1]. Intrusion ion pairing: identification of a new form of ion pair in transition metal salt solutions in pyridine through their visible spectra
R.J. Fletcher, P. Gans, J.B. Gill and C. Geyer (Leeds, UK) 99

Can aldehydes participate in the nanostructuration of liquids containing charged micelles?
A. Meziani, A. Zradba, D. Touraud, M. Clausse and W. Kunz (Compiègne cedex, France) 107

A differential anomalous X-ray scattering study and Reverse Monte Carlo simulation of a highly concentrated solution of zinc bromide in water
H. Bertagnolli, H. Zweier (Stuttgart, Germany) and T. Mager (Würzburg, Germany) 119

Ionic association in aqueous solutions of salts with tetraalkylammonium ions
B.S. Krumgalz (Haifa, Israel) 133

Characterization of the physico-chemical behaviour of water in the KF.2HF/water system by means of conductance and viscosity measurements
H. Dumont, S.Y. Qian and B.E. Conway (Ottawa, Ont. Canada) 147

Vibrational study of ionic association in polar aprotic solvents. Isocyanate complexes of non-transition-metal ions
C. Le Borgne, M. Chabanel (Nantes, France) 171

Dielectric relaxation of acetonitrile-water mixtures
R. Jellema, J. Bulthuis and G. van der Zwan (Amsterdam, The Netherlands) 179

A dynamic dissociation model for internal mobilities in molten alkali and alkaline earth nitrate mixtures
T. Koura, H. Matsuura and I. Okada (Yokohama, Japan) 195

Conductivity study of NaCl and NaI solutions in water-2-butoxyethanol mixtures at 298.15K. (The effect of ion pairing on the standard dissolution enthalpies of NaCl and NaI)
H. Piekarski, M. Tkaczyk, A. Bald and A. Szejgis (Lódź, Poland) 209
Static and dynamic light scattering experiments with an iso-butoxyethanol/water mixture of critical composition
S. Limberg, L. Belkoura and D. Woermann (Köln, Germany) 223
Ionic hydration near platinum and liquid mercury surfaces
K. Heinzinger (Mainz, Germany) 239
A study of the raman non-coincidence effect from methly formate/methyl d-formate solutions
R.J. Bartholomew and D.E. Irish (Waterloo, ON, Canada) 253
Solvation of fluoride ions 4. Gibbs energies of transfer from water to aqueous dimethylsulphoxide, propanone and 2-methylpropan-2-ol mixtures
G.T. Hefter (Murdoch, WA, Australia) 267
Dilute solutions of highly asymmetrical electrolytes in the primitive model approximation
B. Hribar, V. Vlachy (Ljubljana, Slovenia), H. Krienke (Regensburg, Germany) and Yu. V. Kalyuzhnyi (Lviv, Ukraine) 277
Dielectric properties of methanol + hexane critical mixtures without and with ionic additives
K. Orzechowski (Wrocław, Poland) 291
An X-ray diffraction study on concentrated aqueous calcium nitrate solutions at subzero temperatures
P. Smirnov, M. Yamagami, H. Wakita and T. Yamaguchi (Fukuoka, Japan) 305
Simple short-ranged models of water and their application. A review
I. Nezbeda (Prague, Czech Republic) 317
Ni^{2+} coordination in concentrated aqueous solutions
I. Howell and G.W. Neilson (Merseyside and Bristol, UK) 337
Nonequilibrium binary distribution function in electrolyte solutions
D. Kremp (Rostock, Germany), V. Beskrovny (Khar'kov, Ukraine) and W.D. Kraeft (Greifswald, Germany) 349
Molecular simulation study of speciation in supercritical aqueous NaCl solutions
A.A. Chialvo, P.T. Cummings, J.M. Simonson and R.E. Mesmer (Knoxville and Oak Ridge, TN, USA) 361
Application of the mean spherical approximation to the estimation of electrolyte activity coefficients in methanol solutions
W.R. Fawcett and C. Tikanen (Davis, CA, USA) 373
Structural studies on preferential solvation of silver(I) ion by acetonitrile over *N,N*-dimethylformamide in their mixtures
K. Ozutsumi, A. Kitakaze, M. Iinomi and H. Ohtaki (Kusatsu, Japan) 385
The temperature dependence of the dielectric constants of alkanols
R.D. Bezman, E.F. Casassa and R.L. Kay (Pittsburgh, PA, USA) 397
Mutual diffusion coefficients in electrolyte solutions
O. Bernard, T. Cartailler, P. Turq (Paris Cedex, France) and L. Blum (Puerto Rico, USA) 403
Tracer diffusion of zwitterionic and ionic mixed micelles. Effect of micellar size and charge
T. Tominaga and T. Nakamura (Okayama, Japan) 413
A simple power-law approximation for the solvation time correlation function
F.O. Raineri, H.L. Friedman and B.-Ching Perng (New York, USA) 419
The p,T-dependence of self-diffusion in fluid ammonia
T. Groß, J. Buchhauser, W.E. Price, I.N. Tarassov and H.-D. Lüdemann (Regensburg, Germany) . . 433
Molecular dynamics simulation of the energy distributions of molecules in liquid solutions
W. Ebeling, A.A. Valuev (Berlin, Germany) and V.J. Podlipchuk (Moscow, Russia) 445
The charge-dipole contribution to the density-density correlation matrix in near-critical electrolytes
J.S. Høye (Trondheim, Norway) and G. Stell (Stony Brook, NY, USA) 453
Structure and thermodynamics of liquid acetonitrile via Monte Carlo simulation and Ornstein-Zernike theories
J. Richardi, R. Fischer, S. Rast, H. Krienke (Regensburg, Germany) and P.H. Fries (Grenoble, France) 465
A critical view on the Lewis-donor (nucleophilic) properties of solvents
G. Gritzner (Linz, Austria) 487
Critical behavior of the ionic system *n*-proply-tri-*n*-butylammonium Iodide + water near its upper and lower consolute points
M. Kleemeier, W. Schröer and H. Weingärtner (Bremen and Bochum, Germany) 501
Estimation of the hydrogen-bond lengths to H_3O^+ and $H_5O_2^+$ in liquid water
N. Agmon (Jerusalem, Israel) 513